


## Nickel Plated Brass Reducers – METRIC to METRIC Threads

Is your thread size off by one size? Well, then these **REDUCERS** will solve that threading problem. They convert holes which fit NPT / PG / Metric threads to a larger female thread of the same thread type.

The use of a **THREADED REDUCER** is usually the quickest, easiest & most affordable solution to enlarge the thread size on any threaded connector or plug.



### TECHNICAL INFORMATION

#### SPECIFICATIONS

**MATERIALS:** Nickel Plated Brass  
**O-Ring:** Buna-N / Viton® (Optional)

#### OPERATING TEMPERATURE

-40°F to 212°F  
 (-40°C to 100°C)

## REDUCERS - METRIC to METRIC THREADS

Part Nr.	Male Thread	Female Thread	Outer Diameter	Thread Length	Height
	A	B	D	T	H
<b>RR-1612-BR</b>	M16 x 1,5	M12 x 1,5	.71 (18)	.24 (6)	.33 (8.5)
<b>RR-2012-BR</b>	M20 x 1,5	M12 x 1,5	.94 (24)	.26 (6.5)	.35 (9)
<b>RR-2016-BR</b>	M20 x 1,5	M16 x 1,5	.94 (24)	.26 (6.5)	.35 (9)
<b>RR-2516-BR</b>	M25 x 1,5	M16 x 1,5	1.18 (30)	.28 (7)	.39 (10)
<b>RR-2520-BR</b>	M25 x 1,5	M20 x 1,5	1.18 (30)	.28 (7)	.39 (10)
<b>RR-3220-BR</b>	M32 x 1,5	M20 x 1,5	1.54 (39)	.31 (8)	.45 (11.5)
<b>RR-3225-BR</b>	M32 x 1,5	M25 x 1,5	1.54 (39)	.31 (8)	.45 (11.5)
<b>RR-4025-BR</b>	M40 x 1,5	M25 x 1,5	1.69 (43)	.31 (8)	.45 (11.5)
<b>RR-4032-BR</b>	M40 x 1,5	M32 x 1,5	1.97 (50)	.35 (9)	.49 (12.5)
<b>RR-5032-BR</b>	M50 x 1,5	M32 x 1,5	2.24 (57)	.39 (10)	.55 (14)
<b>RR-5040-BR</b>	M50 x 1,5	M40 x 1,5	2.24 (57)	.39 (10)	.55 (14)
<b>RR-6340-BR</b>	M63 x 1,5	M40 x 1,5	2.52 (64)	.39 (10)	.55 (14)
<b>RR-6350-BR</b>	M63 x 1,5	M50 x 1,5	2.52 (64)	.39 (10)	.55 (14)

[ NOTE : TECHNICAL SPECIFICATIONS MAY CHANGE, WITHOUT ANY PRIOR NOTIFICATION ]



**NOVAMAX INDUSTRIAL INTL LLC** 8200 S Quebec St Suite A-3 Englewood, CO 80112  
 Phone (303) 470-7226 Fax (303) 470-5773 Toll-Free 1-800-594-3380 [www.novamaxindustrial.com](http://www.novamaxindustrial.com)